


Geberit PE Reduktion zentrisch, kurz



Beispielbild

EIGENSCHAFTEN

- Zentrisch

TECHNISCHE DATEN

Werkstoff

PE-HD

Art.-Nr.	NPK-Nr.	d ₁ ø mm	d ₁ ø mm	H cm	h cm	K cm
360.557.16.1	312.112	40	32	8	3	1.5
361.557.16.1	312.114	50	32	8	3	1.5
361.559.16.1	312.114	50	40	8	3	1.5
363.559.16.1	312.115	56	40	8	3	1.5
363.560.16.1	312.115	56	50	8	3	1.5
364.559.16.1	312.116	63	40	8	3	1.5
364.560.16.1	312.116	63	50	8	3	1.5

<i>Art.-Nr.</i>	<i>NPK-Nr.</i>	<i>d_ø</i> mm	<i>d_{1, ø}</i> mm	<i>H</i> cm	<i>h</i> cm	<i>K</i> cm
364.565.16.1	312.116	63	56	8	3	1.5
365.559.16.1	312.117	75	40	8	3	1.5
365.560.16.1	312.117	75	50	8	3	1.5
365.565.16.1	312.117	75	56	8	3	1.5
365.570.16.1	312.117	75	63	8	3	1.5
366.559.16.1	312.118	90	40	8	3	1.5
366.560.16.1	312.118	90	50	8	3	1.5
366.565.16.1	312.118	90	56	8	3	1.5
366.570.16.1	312.118	90	63	8	3	1.5
366.575.16.1	312.118	90	75	8	3	1.5
367.559.16.1	312.121	110	40	8	3	1.5
367.560.16.1	312.121	110	50	8	3	1.5
367.565.16.1	312.121	110	56	8	3	1.5

<i>Art.-Nr.</i>	<i>NPX-Nr.</i>	<i>d_ø</i> mm	<i>d_{1, ø}</i> mm	<i>H</i> cm	<i>h</i> cm	<i>K</i> cm
367.570.16.1	312.121	110	63	8	3	1.5
367.575.16.1	312.121	110	75	8	3	1.5
367.580.16.1	312.121	110	90	8	3	1.5
368.570.16.1	312.122	125	63	8	3	1.5
368.575.16.1	312.122	125	75	8	3	1.5
368.580.16.1	312.122	125	90	8	3	1.5
368.585.16.1	312.122	125	110	8	3	1.5
369.535.16.1	312.123	160	110	4	0.6	0